


MAY 20 2004

OFFICIAL

CERTIFICATE OF FACSIMILE TRANSMISSION

I hereby certify that this document and the documents indicated as enclosed herewith are being sent by facsimile transmission to the United States Patent and Trademark Office on the date set forth below.

Date: May 20, 2004


Adrian M. Kaplan
Registration No. 43396

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No.: 09/827,310

Filing Date: April 6, 2001

Applicant: Harry Chan and Elio Moy

Title: PIPE EXTRUSION DIE FOR
MULTILAYER PIPE

Examiner: Joseph S. Del Sole

Attorney's Ref.: 1142-2/AMF

AMENDMENT

In response to the Official Action

Dated: April 23, 2004

Commissioner for Patents
U.S. Patent and Trademark Office
2011 South Clark Place
Customer Window, Mail Stop Non-Fee Amendment
Crystal Plaza 2, Lobby, Room 1B03
Arlington, VA 22202
U.S.A.

Dear Sir:

Please amend this application as follows:

RECEIVED 1/12
CENTRAL FAX CENTER
MAY 20 2004



OFFICIAL

DIMOCK STRATTON LLP

Barristers and Solicitors • Patent and Trade-Mark Agents

FAX

DATE: May 20, 2004

TO: NAME & FIRM	PHONE #	FAX #
Examiner Joseph S. Del Sole United States Patent and Trademark Office GROUP ART UNIT: 1722	1-571-272-1130	1-703-872-9306

FROM: **Adrian M. Kaplan**

OUR FILE: 1142-2/AMK

TOTAL PAGES SENT (including this page): 12

Confirmation of facsimile to follow: ☐ Yes ☒ No, unless requested

If you do not receive all the pages of this facsimile clearly,
please call Liz Forster at (416) 971-7202.

NOTES:

Re: U.S. Patent Application No. 09/827,310

***Documents Enclosed: Response to Office Action of
April 23, 2004.***

This fax may contain information which is confidential and privileged. If you are not
the intended recipient of this fax, you are not permitted to make use of this fax.

If you have received this in error, please notify the sender.

20 Queen Street West, Suite 3202, Box 102, Toronto, Ontario Canada M5H 3R3
Tel: (416) 971-7202 Fax (416) 971-6638
E-mail: firm@dimock.com • www.dimock.com